

SEQUENCE LISTING

<110> FUJII, Nobutaka
 TAMAMURA, Hirokazu
 HORI, Akira

<120> CXCR4 Antagonist and Uses Thereof

<130> Fujii-8

<140> 10/525,838
 <141> 2005-02-25

<150> PCT/JP2003/010753
 <151> 2003-08-26

<150> JP 2002-247843
 <151> 2002-08-27

<160> 68

<170> PatentIn version 3.3

<210> 1
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(14)
 <223> L-amino acid or D-amino acid

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is Arg, Glu, Lys, or citrulline

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline

 <400> 1

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 2
 <211> 14
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic

<220>
 <221> MISC_FEATURE
 <222> (1)..(14)
 <223> L-amino acid or D-amino acid

<220>
 <221> MISC_FEATURE

```

<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline

```

```

<400> 2

```

```

Glu Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1          5          10

```

```

<210> 3
<211> 14
<212> PRT

```

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(14)

<223> L-amino acid or D-amino acid

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is an aromatic amino acid residue

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline, Glu, Arg or Lys

<220>

<221> MISC_FEATURE

<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 3

Xaa Glu Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 4
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>

<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 4

Xaa Xaa Xaa Cys Tyr Glu Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 5
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 5

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 6
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 6

Xaa Xaa Xaa Cys Tyr Xaa Xaa Glu Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 7
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)

<223> L-amino acid or D-amino acid

 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa is Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Arg, Glu, Lys or citrulline
 <400> 7

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline, Glu, Arg or Lys

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa is Arg, Glu, Lys or citrulline
<400> 8

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Glu Xaa Cys Xaa
1 5 10

<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> L-amino acid or D-amino acid

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is Arg or Glu

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is an aromatic amino acid residue

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>
<221> MISC_FEATURE
<222> (8)..(8)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is Glu, Arg or Lys

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Xaa is Arg, Glu, Lys or citrulline

<400> 9

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
1 5 10

<210> 10

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(14)

<223> L-amino acid or D-amino acid

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is Arg or Glu

<220>

<221> MISC_FEATURE

<222> (3)..(3)
 <223> Xaa is an aromatic amino acid residue

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline, Arg or Glu

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa is Pro, Gly, Orn, Lys, Ala, citrulline or Arg

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa is Tyr, Phe, Ala, naphthyl Ala, citrulline or Glu

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is Arg, Lys, Orn, citrulline, Ala or Glu

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is citrulline, Glu, Arg or Lys

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa is Glu, Lys or citrulline

 <400> 10

Xaa Xaa Xaa Cys Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa
 1 5 10

<210> 11
 <211> 14
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is Naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 11

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 12
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-Citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 12

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 13
<211> 14

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 13

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 14
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>

<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 14

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Xaa Xaa Cys Arg
1 5 10

<210> 15
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 15

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 16
<211> 14
<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 16

Xaa	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1					5					10			

<210> 17

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 17

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 18

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is D-lysine

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 18

Xaa	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 19

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 19

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 20
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)

<223> Xaa is citrulline

<400> 20

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Xaa	Xaa	Cys	Arg
1				5					10				

<210> 21

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 21

Xaa	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 22

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 22

Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 23
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 23

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg

1 5 10

<210> 24
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 24

Xaa Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Xaa Xaa Cys Arg
1 5 10

<210> 25
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE

<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 25

Glu Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 26
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 26

Arg Glu Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 27
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 27

Arg Arg Xaa Cys Tyr Glu Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 28
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 28

Arg Arg Xaa Cys Tyr Arg Glu Lys Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 29
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 29

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 30

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Lys or D-Lys

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 30

Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Glu Xaa Cys Arg
1 5 10

<210> 31

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 31

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Glu
1				5					10				

<210> 32
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 32

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 33
<211> 14
<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is D-Glu

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa is D-citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 33

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 34

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)
<223> Xaa is citrulline

<400> 34

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 35
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline
<400> 35

Glu	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 36
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE

<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa is Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 36

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Xaa Arg Xaa Cys Arg
1 5 10

<210> 37
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<400> 37

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Glu Cys Arg
1 5 10

<210> 38
<211> 14
<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 38

Glu Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 39

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (10)..(10)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 39

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Xaa Arg Xaa Cys Arg
1 5 10

<210> 40
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa can be Glu or D-Glu

<400> 40

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 41
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 41

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 42
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 42

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1

5

10

<210> 43
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 43

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 44
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE

<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 44

Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10			

<210> 45
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 45

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 46
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>

<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 46

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 47
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 47

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 48
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 48

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 49
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 49

Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10			

<210> 50

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is citrulline

<400> 50

Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10			

<210> 51

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 51

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 52
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 52

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1

5

10

<210> 53
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa can be Glu or D-Glu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 53

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 54
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Glu can be Dglu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 54

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 55
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Glu can be Dglu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 55

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 56
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Glu can be Dglu

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa is citrulline

<400> 56

Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 57
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 57

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 58
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 58

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 59
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>

<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 59
Arg Arg Xaa Cys Tyr Arg Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 60
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 60
Arg Arg Xaa Cys Tyr Xaa Arg Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 61
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 61

Arg Arg Xaa Cys Tyr Xaa Arg Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 62
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 62
Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 63
<211> 14

<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa is D-citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 63

Arg	Arg	Xaa	Cys	Tyr	Arg	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 64
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa is naphthyl-alanine

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa is citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa can be Lys or D-Lys

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is citrulline

<400> 64

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 65

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 65

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg
1 5 10

<210> 66

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 66

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 67

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 67

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				

<210> 68

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa is naphthyl-alanine

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa is citrulline

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa can be Glu or D-Glu

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is citrulline

<400> 68

Arg	Arg	Xaa	Cys	Tyr	Xaa	Lys	Xaa	Pro	Tyr	Arg	Xaa	Cys	Arg
1				5					10				